

Supporting Integrated Coastal Zone Management (ICZM) by Systems Analysis

Summerschool on Limnoecology at Lake Baikal

A joint activity of Irkutsk University and Kiel University at the
Biological Station Bolshy Kotie




What is ICZM aimed at?

ICZM is aimed at making a contribution to the development and preservation of coastal zones as an ecologically intact and economically prospering habitat for humankind.

What is ICZM not intended to be?

ICZM is not an independent formal planning and decision-making tool and not an instrument for pushing through specialized and individual interests.





What is ICZM?

ICZM is an informal approach to supporting sustainable development of coastal zones through good integration, coordination, communication and participation.

On the one hand, ICZM is a process that should permeate all planning and decision-planning levels as a guiding principle and, on the other hand, is a tool applied for the purpose of integrated identification of potential development and conflict as well as for resolving conflicts in an unbureaucratic manner.




The ICZM strategy is based on the following basic principles*:

- ICZM shall promote **sustainable development** of coastal zones with their specific ecological, economic and social features and support the sustainability strategy of the federal German government.
- ICZM represents a guiding principle for political and social action at all levels in coastal zones and is aimed at coordinating the development of coastal zones through a comprehensive approach and **integration** of all concerns.
- ICZM incorporates all relevant policy areas, economic and scientific actors, social groups and levels of administration into the process (**participation**) in order to identify development potential at an early stage, find solutions for which there is a consensus and improve conflict management.
- ICZM is viewed as a continuous process that combines the phases of planning, implementation and evaluation of changes in coastal zones so as to make the best possible use of experience for the future (**experience transfer**).

*ICZM principles based on the EU recommendation 2002/413/EC

Use of ecosystem services and environmental impacts




Modified after Colijn et al. 2002



Ecosystem Services

Determinants and Constituents of Well-being



What are the current conditions and trends of ecosystems and their associated human well-being?

What ecosystems make what contributions to human well-being?

How have ecosystems changed in the past and how has this increased or reduced their capacity to contribute to human well-being?

What thresholds, regime shifts, or irreversible changes have been observed?

What were the most critical factors affecting the observed changes?

What are the costs, benefits, and risks of the observed changes in ecosystems, and how have these affected different sectors of society and different regions?

What are the plausible future changes in ecosystems and in the supply of and demand for ecosystem services and the consequent changes in health, livelihood, security, and other constituents of well-being?

Under what circumstances are thresholds encountered or are regime shifts or irreversible changes likely to occur?

What are the most critical drivers and factors affecting future changes?

What are the costs, benefits, and risks of plausible future human-induced changes in ecosystems, and how will these affect different sectors of society and different regions?

What can we do to enhance well-being and conserve ecosystems?

What are the strengths and weaknesses of response options, actions, and processes that can be considered to realize or avoid specific futures?

What are the trade-off implications of the response options?

How does inertia in the social and natural systems affect management decisions?



Northern Cod Off Newfoundland, Canada (NAFO area 2J3KL)




Source: Myers et al. 1995.




Therefore, a full assessment of ecosystems and their services must consider:

- information on the cost of a substitute,
- the opportunity cost of maintaining the service,
- cross-service costs and impacts, and
- the distributional impacts of any substitution.




Sources of Uncertainty when thinking about the Future




Ignorance

Understanding is limited



Surprise

The unexpected and the novel can alter directions



Volition

Human choice matters

A Definition of Scenarios

Scenarios =

Plausible alternative futures, each an example of what might happen under particular assumptions, told as stories and backed up by quantification and modeling.

Different from

Forecast

is the best estimate from a particular method, model, or individual.


Projections


are heavily dependent on assumptions about drivers and boundary conditions. Projections lead to "if this, then that" statements.

Predictions

are seen by the public and decision makers as things that will happen no matter what they do.

Scenarios, predictions & projections?





What are scenarios and why use them?


- Purpose of scenarios:
 - Information dissemination
 - Scientific exploration
 - Decision-making tool

- ⇒ Different process of stakeholder involvement in scenario development


Scenarios are stories about the future with a logical plot and narrative governing the manner in which events unfold




TIME



SCENARIO DYNAMICS



Anatomy of Scenarios



The MA approach to scenarios

- Structured accounts of **possible futures**.
- Describe futures that **could** be, rather than futures that will be.
- Alternative, dynamic **stories** that capture key ingredients of our **uncertainty** about the future of our study system.
- Constructed to provide insight into **drivers** of change, reveal the **implications** of current trajectories, and illuminate **options** for action.
- Encompass quantitative models and realistic projections, but much of their value lies in incorporating both **qualitative and quantitative understandings of the system** and in forcing people to evaluate and reassess their beliefs and **assumptions** about the system.

Global Orchestration

Successes of policy and markets of the last century lead to optimism about improving functioning of socio-economic systems and the hope that this will lead to improvements in provision of ecosystem services.

Global “one size fits all” style management and focus on market-based solutions.

Ecological feedbacks are generally dealt with by improved technological capabilities and responsive policies. But later one more surprise arising from simplified ecosystems.

<u>Potential Benefits</u>	<u>Potential Risks</u>
<ul style="list-style-type: none">• Decreasing economic inequality (Kuznets' greening)• Economic Prosperity (b/c growing other economies means that there are people to buy rich world products)	<ul style="list-style-type: none">• Reactive mgmt proves to be more costly• Ecological crises accelerate inequality (b/c it disproportionately affects the poor)• Loss of economic growth due to fragmentation• Inability to benefit from trade

TechnoGarden

Ecosystem services and learning are very important (but protected ecosystems not the best way to provide services).

Technological successes lead to increased substituting technology for regulatory services to improve the supply of ES to people.

General focus on global “one size fits all” style management.

<u>Potential Benefits</u>	<u>Potential Risks</u>
<ul style="list-style-type: none">• Highly effective utilization of ecosystem services• Enhancing ecosystem services	<ul style="list-style-type: none">• Technological failures have far-reaching effects with big impacts• Wilderness eliminated as “gardening” of nature increases• The gap between people and nature increases• Less economic growth than the max possible because of diversion of resources to management

Order from strength

Security is very important. Control of socio-ecological linkages is strongly in the hands of the rich and powerful nations and powerful individuals in poor nations.

Ecological problems can and should be handled by increasing benefits locally, even if it means exporting some problems to other, less powerful areas.

Trade should flow openly and without barriers except those put in place by elites.

<u>Potential Benefits</u>	<u>Potential Risks</u>
<ul style="list-style-type: none">• Increased security• Less expansion of invasive species• Islands of quality ecosystems	<ul style="list-style-type: none">• High inequality/social tension• Risk of security breaches• Global environmental degradation• Lower economic growth• Malnutrition

Adapting Mosaic


Ecosystem services are important and functioning ecosystems are an important part of providing ecosystem services.

Focus on natural capital is enough to maintain adequate provision of ecosystem services. This changes later in the scenario and there is increased focus on human and social capital.

A mix of management successes and failures has led people to be optimistic about learning, but humble about preparing for surprises and understanding all there is to know about how ecosystems work.

<u>Potential Benefits</u>	<u>Potential Risks</u>
<ul style="list-style-type: none">• High coping capacity with local changes (proactive)• Win-win management of ecosystem services	<ul style="list-style-type: none">• Neglect of global commons• Inattention to inequality• Less economic growth than the max possible b/c diversion of resources to management and b/c less trading

The DPSIR framework applied to the marine environment (EEA, 2000)



General aspects on the development of indicators

Definitions:

Indicators are alternative measures to gain an understanding of a complex system [...] so that effective management decisions can be taken that lead towards initial objectives

Mitchell et al. 1995

Generally spoken, an indicator describes the state of a system

Walz et al. 1997

Indicators are general Parameters (e.g. physical quantities,..) describing the state of a bigger and often complex system in a representative way.

ICLEI 1998

„Therefore Indicators generally should be defined as parameters describing distinct, not directly measurable, often complex facts.

Sandhövel 1999

But why do we need indicators?

Wouldn't it be better to take the full information of the real world than to work with a reduced set of information?


Yes, but only if we are able to communicate the full amount of information. But as this is normally not feasible, we have to look for substitutes to be communicated.

The main purpose of indicators is to enhance communication about complex systems.

Or in other words to allow communication about the state and the development of complex systems.

So, what happens in the process of indicator development?


Ecosystem in the coastal zone



Intentional selection of parameters which are in the eyes of the investigator suitable to describe relevant state and developments of the ecosystem

and what happens in the process of indicator application?

Process of evaluation and decision making



Intentional introduction of the selected indicators into societal perspectives and actions

So, what do we have to take into account?

The developer as well as the user of indicators have to communicate about their „world view“ and their intentions in this process in order to be able to identify the possibilities and limitations of the selected indicator.

As a consequence the development and/or identification of suitable and acceptable indicators needs a sufficient common understanding concerning the following questions:

- Which is the system of concern and how can it be described ?
- Which are the components of the systems relevant to the issue of concern?
- How are the selected components to be valued?
- Which indicator values are decisive?
- How is the decisive indicator value embedded in the decision process?

Based on Deppert & Theobald 1999

Thus, indicators have to meet the following requirements and should:

- be relevant for the selected issue of concern
- be easy to observe
- be predictable
- be scientifically based
- be reproducible
- mirror a defined section
- be able to represent spatial and time dependant changes
- be sufficient sensitive


North Sea catchment area:

707500 sq.km

EUROCAT investigated catch. area:


357810 sq.km

Data by Behrendt 2004 and Cave et al. 2004	Unit	Elbe	Humber	Rhine
Basin Area	km ²	148270	24240	185300
subbasins		185	6	423
length of river	km	1090	690	1320
mean disch.	m ³ /s	708	250	2388
tot. pop	1000 inh.	24611	13668	57256
pop. dens	inh/km ²	166	564	309
urban area	%	5,9	12,3	7,9
agric. area	%	61,4	72,8	51,8
arable land	%	54,7	43,8	35,6
pasture	%	6,8	29,0	16,2
forest	%	30,5	13,7	37,2
connections to sewers	%	79,3		93,9
connections to wwtps	%	71,4	79,0	92,4



Source: Behrendt 2004

Global Markets



Free, unfettered world markets.

Priority: economic growth.

People: short-term planners, no risk aversion.

Strong EU




Strong EU leadership.

Regulated economy towards sustainability.

People: mid-term planners, risk averse to some degree.

Green Regions




Priority: environment, self-regulation.

Strong sustainability.

People: long-term planners, absolutely risk averse.

Drivers and Pressures

Socio-economic Drivers



Possible reference values:

maximum value, average value, recent or former situation, wanted situation, expected situation, scenario situation, etc.

Pressures*

Catchment
(MONERIS-INPUT)

Agriculture:
Fertiliser use
Nutrient surplus
(Pesticide use)
(Yields)
etc.

Coastal Zone
(Scenario-Settings)

Riverine input
(MONERIS output)

Atmospheric
Input

....
Structural Change

....
Fisheries

....
Offshore Industry

....

* complete list in: Colijn et al. (2002), EUROCAT D 2.1

Ecological Impact on Coastal Waters


State indicators

Indication based on ERSEM

State indicators

Ecosystem Integrity
(based upon Self-organising capacity)

Net primary production
Inorganic & organic riverine input
Inorganic & organic input bordering ERSEM boxes



Turnover of nutrients
Bacterial uptake
Phytoplankton feeding on organic detritus
Uptake from inorganic nutrients

Sediment Input/Output

Matter losses into ERSEM adjacent boxes (organic & inorganic)

Diatom/No-diatom ratio

— Ref=100

— Global Markets — Strong EU — Green Regions

Scenarios: Measures for Reducing Nutrient Emissions


BAU		
Catchment	Description	Measures
Elbe	present trends are maintained	no additional measures
Humber		300 ha due to realignment
Rhine		no additional measures
PT		
Catchment	Description	Measures
Elbe	Reduction of inputs from the catchment (point and diff. Sources), implementation of the Nitrate Directive (good agr. Practice) and of the Urban Waste Water Directive	Farm measures, WWTP update, tile drainage reduction up to 10% of arable land
Humber		20% reduction of riverine loads (point sources + Nitrate Directive implementation), realignment area of 1321 ha
Rhine		Farm measures, WWTP update, tile drainage reduction up to 10% of arable land
DG		
Catchment	Description	Measures
Elbe	Over-compliance with Environmental Directives and standards	Farm measures, WWTP update, tile drainage reduction up to 20% of arable land
Humber		50% red in point sources + Nitrate Directive implementation, realignment area of 7400 ha
Rhine		Farm measures, WWTP update, tile drainage reduction up to 20% of arable land

Sources: Cave et al., 2003 (Humber); Lise et al., 2003, 2004 (Rhine and Elbe)

Scenarios: Measures for Reducing Nutrient Emissions

BAU		
Catchment	Description	Measures
Elbe	present trends are maintained	no additional measures
Humber		300 ha due to realignment
Rhine		no additional measures
PT		
Catchment	Description	Measures
Elbe	Reduction of inputs from the catchment (point and diff. Sources), implementation of the Nitrate Directive (good agr. Practice) and of the Urban Waste Water Directive	Farm measures, WWTP update, tile drainage reduction up to 10% of arable land
Humber		20% reduction of riverine loads (point sources + Nitrate Directive implementation), realignment area of 1321 ha
Rhine		Farm measures, WWTP update, tile drainage reduction up to 10% of arable land
DG		
Catchment	Description	Measures
Elbe	Over-compliance with Environmental Directives and standards	Farm measures, WWTP update, tile drainage reduction up to 20% of arable land
Humber		50% red in point sources + Nitrate Directive implementation, realignment area of 7400 ha
Rhine		Farm measures, WWTP update, tile drainage reduction up to 20% of arable land


Sources: Cave et al., 2003 (Humber); Lise et al., 2003, 2004 (Rhine and Elbe)



Source: Lenhart 1999





Time series of Diatoms and Flagellates for box 78 (Elbe) for the standard scenario



Source: Lenhart, 2003


North Sea circulation patterns







Net primary production (g C m⁻² a⁻¹)

Self-organising Capacity Processes




ERSEM indicators






Ecological risk:
The ecological risk of 1995 is normalised to 100, the pristine is normalised to 0, the ecological risk of the considered scenarios are normalised between 0 and 100.

Ecological risk is computed as the average of normalised values (1 to 100) of ecosystem integrity indicators for each scenario.




Conceptual structure of the virtual centre of competence, under development by the R&D project „Coastal Futures



Relations between data objects

Userinterfaces



Thank you for your attention

